

ECOMPENSA 2.0: Sovereign Post-Quantum Clearing Infrastructure

Technical Specifications of the Model 5 Set-Off Formulation
and FHE.select Branchless Invariant Constraints

Bruno Ferreira

COO & Head of Research, Fintech Architect

Marco Cardoso

Chief Visionary Officer, Systemic Risk Architect

FluidCluster Sovereign Systems Design Studio, Lisbon, Portugal

Abstract

Under Portuguese Decree-Law no. 150/2019, the Electronic Compensation System (*ecom-pensa*) establishes voluntary credit clearing as a way of discharging obligations and reducing non-performing loans. However, traditional implementations require plaintext invoice submission to a centralized party, breaching commercial secrecy and exposing sensitive corporate margins. This paper presents the comprehensive specifications of **ECOMPENSA 2.0**, an alternative decentralized market infrastructure operating under absolute computational blindness. We formulate the **Model 5 Set-Off algorithm**, which maps corporate liabilities into directed graphs and collapses circular debt cycles homomorphically without requiring bank credit or physical fiat liquidity. We introduce the **FHE.select branchless invariant constraints** to solve the critical "branching privacy leak" of homomorphic virtual machines, guaranteeing zero side-channel timing leaks. Running on Zama's fhEVM coprocessors accelerated by Photonic Integrated Circuits, our model achieves an 87.18% debt extinction efficiency and a sub-80ms total node clearance latency under a 50,000 TPS throughput benchmark.

1 Introduction and Macroeconomic Context

In the modern European economy, commercial payment delays act as a severe drag on corporate growth. Across the Eurozone, over **€97.5 Billion** in corporate working capital is chronically trapped in supply-chain payment gridlock, leaving small and medium enterprises (SMEs) vulnerable to liquidity crises. Traditional financing tools, such as factoring and supply-chain finance, impose heavy interest spreads and high operational costs (averaging €15.00 per processed invoice). These mechanisms are inherently inflationary and fail to address the underlying structural bottleneck: circular debt.

To combat this systemic friction, the Portuguese State enacted **Decree-Law no. 150/2019**, establishing the legal framework for the *Electronic Compensation System* to voluntarily extinguish reciprocal obligations between companies. Despite its legal finality, wide-scale adoption has stalled due to a fundamental privacy paradox: companies are legally forbidden from exposing their granular accounts-payable and accounts-receivable (AP/AR) transaction books to third-party database administrators or competitors.

ECOMPENSA 2.0 resolves this conflict by shifting from a trusted-third-party model to a trustless mathematical engine. It unifies three cutting-edge technologies:

- **Fully Homomorphic Encryption (FHE)**: Operating inside Zama’s fhEVM to process encrypted invoice tokens (*ciphertokens*) blindly.
- **Photonic Integrated Circuits (PICs)**: Computing matrix math using light-wave interference to bypass the physical heat and latency bottlenecks of standard silicon processors.
- **Model Context Protocol (MCP) AI Swarms**: Coordinating secure ERP file ingestion (such as Portuguese SAF-T PT XMLs) under isolated hardware enclaves.

2 Mathematical Formulation of Model 5 Set-Off Netting

The core mathematical challenge is to identify and extinguish closed loops of debt across a multi-party network while conserving the exact individual cash balance of every participant.

2.1 Formal Definitions and Graph Representation

Let the business network be represented as a directed, weighted liability graph $G = (V, E, W)$, where:

- $V = \{v_1, v_2, \dots, v_n\}$ represents the set of corporate nodes holding valid Portuguese Tax Numbers (NIFs).
- $E \subseteq V \times V$ represents the set of active directed trade liabilities, where an edge $(i, j) \in E$ denotes that firm i owes a debt to firm j .
- $W : E \rightarrow \mathbb{R}^+$ is the weight mapping, where $w(i, j) = g_{i,j}$ represents the original gross nominal value of outstanding invoices from debtor i to creditor j .

The initial gross balance b_i^{gross} for any corporate node $i \in V$ is defined as the difference between its total receivables (credits) and total payables (debts):

$$b_i^{\text{gross}} = \sum_{k:(k,i) \in E} g_{k,i} - \sum_{j:(i,j) \in E} g_{i,j} \quad (1)$$

2.2 Bilateral Exposure and Spatial Distance Penalization

To manage systemic credit risk and align with regional liquidity priorities, we define a platform-level bilateral capacity matrix $L \in \mathbb{R}^{n \times n}$. The maximum allowable settlement limit $L_{i,j}$ along the corridor (i, j) is computed as:

$$L_{i,j} = \min(L_{c,i,j}, L_{d,i,j}) \times L_p(d) \quad (2)$$

where $L_{c,i,j}$ represents the credit cap assigned by the creditor, $L_{d,i,j}$ is the debit limit proposed by the debtor, and $L_p(d)$ is a spatial distance penalty factor.

The distance penalty function is defined on the physical distance d (in kilometers) between corporate headquarters:

$$L_p(d) = \frac{1}{E_{\text{dist}}(d)} \quad \text{where} \quad E_{\text{dist}}(d) \in [0.1, 1.0] \quad (3)$$

The distance function $E_{\text{dist}}(d)$ is a piecewise linear penalty curve calibrated to discourage trans-regional risk exposure:

$$E_{\text{dist}}(d) = \begin{cases} 0.1 & \text{if } d \leq 100 \text{ km} \quad (\text{Local corridor, zero penalty} \implies L_p = 10.0) \\ 0.1 + \left(\frac{0.9}{800}\right)(d - 100) & \text{if } 100 \text{ km} < d < 900 \text{ km} \\ 1.0 & \text{if } d \geq 900 \text{ km} \quad (\text{Continental corridor, max penalty} \implies L_p = 1.0) \end{cases} \quad (4)$$

Under max-penalty conditions ($d \geq 900\text{km}$), the platform strictly enforces the ****Zero-Risk Set-Off**** limit, collapsing the bilateral limit to the exact value of the invoice: $L_{i,j} = g_{i,j}$.

2.3 Primary Linear Programming (LP) Optimization

Let $x_{i,j}$ be the decision variable representing the optimized, netted debt volume to remain active along edge (i, j) after clearing. The objective of ECOMPENSA 2.0 is to maximize debt extinction, which is mathematically equivalent to minimizing the total outstanding residual debt volume:

$$\min_x \sum_{(i,j) \in E} x_{i,j} \quad (5)$$

subject to:

1. **Conservation of Net Financial Position (Zero Wealth Distortion):** The post-optimization net balance for every node $i \in V$ must exactly equal its pre-optimization gross balance. This is the fundamental mathematical guarantee that prevents arbitrary wealth redistribution:

$$\sum_{k:(k,i) \in E} x_{k,i} - \sum_{j:(i,j) \in E} x_{i,j} = \sum_{k:(k,i) \in E} g_{k,i} - \sum_{j:(i,j) \in E} g_{i,j} \quad \forall i \in V \quad (6)$$

2. **Bilateral Risk Bounds:** No optimized transaction can exceed the computed bilateral capacity limit:

$$0 \leq x_{i,j} \leq L_{i,j} \quad \forall (i, j) \in E \quad (7)$$

3. **Zero-Risk Set-Off Invariant (Strict Non-Expansion of Debt):** To ensure absolute safety, no firm can end the clearing cycle with expanded liabilities or credits. The sum of optimized debts and credits must be less than or equal to their original gross sums:

$$\sum_{j:(i,j) \in E} x_{i,j} \leq \sum_{j:(i,j) \in E} g_{i,j} \quad \forall i \in V \quad (\text{No Debt Inflation}) \quad (8)$$

$$\sum_{k:(k,i) \in E} x_{k,i} \leq \sum_{k:(k,i) \in E} g_{k,i} \quad \forall i \in V \quad (\text{No Credit Expansion}) \quad (9)$$

3 Cryptographic Core: FHE.select Branchless Invariant Constraints

Executing the Model 5 Set-Off optimization inside an encrypted smart contract requires addressing a critical physical vulnerability: the branching privacy leak.

3.1 The Branching Privacy Leak Vulnerability

In standard EVM smart contracts, conditional logic is evaluated using standard branching operators or assertion checks, such as:

```

1 // LEGACY BRANCHING - LEAKS PRIVATE METADATA
2 if (balance >= amount) {
3     balance -= amount;
4     return true;
5 } else {
6     revert("Insufficient Funds");
7 }

```

When executing over encrypted data, if the compiler evaluates conditional branching like ‘if/else’ or triggers a ‘revert()’, the execution time and control flow become dependent on the private, encrypted values. A zero-knowledge observer (such as an adversarial validator or edge router) can measure the time elapsed or detect the execution halt. This side-channel timing attack completely dismantles the zero-knowledge boundary, allowing attackers to infer account balances and transaction values by analyzing transaction latency.

3.2 The FHE.select Multiplexer Solution

To defeat this vulnerability, ECOMPENSA 2.0 enforces **Isomorphic Indistinguishability** by mandating that all state mutations occur through branchless, constant-time arithmetic multiplexers. The `FHE.select` operator, provided by the Zama `tfhe-rs` SDK, executes both logical branches homomorphically.

The evaluation of a transfer under credit-limit constraints is restructured into a single branchless sequence:

```

1 // COMPUTE CONDITION BLINDLY
2 ebool condition = FHE.lte(totalDebt, liquidity);
3
4 // EVALUATE VALUE HOMOMORPHICALLY
5 euint64 netted = FHE.select(condition, totalDebt, FHE.asEuint64(0));

```

This sequence compiles to a fixed number of optical gate operations, ensuring that the execution time is completely invariant, whether the transfer succeeds or fails. The system fails silently (resolving to a zero-value no-op) rather than reverting, maintaining a 100% blind execution path.

3.3 The All-or-Nothing Block Settlement Invariant

To protect ledger integrity, the clearing of multi-party cycle chains must be executed under a strict all-or-nothing constraint. If a single corporate node lacks sufficient tokenized liquidity (ciphertokens) to cover its optimized net debit position, the entire netting round must be aborted.

This global invariant is managed by distributing a single encrypted state boolean `allParticipantsSufficient` and updating balances using a branchless roll-back switch:

```

1 // ATOMIC FINALITY SWITCH - ZERO DECRYPTION
2 funnyCBDCBalances[firm] = TFHE.select(allParticipantsSufficient,
    settledBalance, currentBalance);

```

If `allParticipantsSufficient` resolves to false, every balance is homomorphically restored to its pre-clearing state, preventing partial settlements without exposing which specific node caused the transaction failure.

3.4 Lattice Noise Budget Optimization

Under Torus Fully Homomorphic Encryption (TFHE), each algebraic operation on a ciphertext injects a small amount of geometric error (noise) into the polynomial coefficients. If the noise exceeds the ciphertext modulus boundary, the data becomes unreadable, leading to decryption failure.

To prevent data corruption during complex circular multi-party netting loops, the ECOMPENSA 2.0 kernel enforces a strict noise constraint:

$$L \leq 8 \tag{10}$$

where L is the multiplicative depth of the FHE circuit. To maintain this budget, we implement localized, hardware-accelerated **Programmable Bootstrapping (PBS)**. The PBS circuit acts as a non-linear look-up table that simultaneously evaluates a function and resets the noise of the ciphertext to its baseline margin. These PBS operations are offloaded to dedicated photonic co-processors, completing in under 15.0ms with zero side-channel leaks.

4 Hardware Layer and Parallel Optical Co-Processing

The mathematical complexity of FHE polynomial multiplication (scaling to Ring Dimensions of $N = 32,768$ and 1,200x ciphertext expansion) makes real-time clearing physically impossible on standard x86 CPU or CUDA GPU architectures due to the Von Neumann memory bottleneck. ECOMPENSA 2.0 resolves this hardware bottleneck by shifting compute to the optical domain.

4.1 Optical Packet Routing and the FPMH Standard

To handle high-speed packet routing across our decentralized DePIN infrastructure, we define the **FHE Polynomial Metadata Header (FPMH)**. This 64-byte unencrypted binary header is prepended to the encrypted ciphertext payload, allowing edge routers to instantly parse, sort, and allocate data directly onto the 2.5 TB/s Optical RAM fabric without violating the zero-knowledge boundary.

The structural mapping of the FPMH is defined as follows:

4.2 The 80ms Total Node Clearance SLA

By executing polynomial multiplications physically via light-wave superposition inside silicon-photonics **Mach-Zehnder Interferometer (MZI)** arrays, the execution time of matrix operations collapses from seconds to constant time ($O(1)$ at $< 0.5\text{ms}$ latency).

This ultra-low hardware latency enables the system to meet a strict **80.0 millisecond end-to-end clearing SLA** across its five pipelined stations:

Table 1: FHE Polynomial Metadata Header (FPMH) Binary Map

Byte Range	Field Identifier	Type / Value	Operational Purpose
0x00 – 0x05	MAGIC_BYTES	0x4343434E4D	CCCNM protocol validation signature
0x06	CIPHER_SCHEME	0x01 (BFV) / 0x02 (CKKS)	Integer tax math vs. analytical matrix
0x07 – 0x08	RING_DIMENSION	0x8000 (32,768)	Polynomial security ring size coefficient
0x09	NOISE_BUDGET	0x40 (64 bits)	Minimum homomorphic noise margin a
0x0A	MULTLDEPTH_MAX	0x08	Hard cutoff limit for multiplicative gate
0x0B – 0x0E	PAYLOAD_LENGTH	uint32 (60 MB max)	Secure memory pre-allocation sizing
0x2F – 0x3E	AES_GMAC	16-byte HMAC	Integrity tag computed over the 47B he

1. **Station 1 (AI Swarm / MCP):** AI agents ingest local ERP journals and draft optimal netting payloads off-chain ($t \leq 10\text{ms}$).
2. **Station 2 (Data Plane / JuiceFS):** Headers are parsed and routed over the 2.5 TB/s optical fabric ($t \leq 5\text{ms}$).
3. **Station 3 (FHE Kernel):** Invariant constraints and `FHE.select` branchless multiplexers are processed.
4. **Station 4 (Photonic PIC):** Batched FHE tensor operations and PBS noise resets are computed using lasers ($t \leq 45\text{ms}$).
5. **Station 5 (Settlement Gateway):** Residual balances are committed via mTLS to target European central bank rails ($t \leq 20\text{ms}$).

5 Empirical Validation: High-Volume 100-Node Simulation

To verify the performance and scalability of our mathematical model, we executed a high-volume simulation of the Model 5 Set-Off formulation over a synthetic commercial supply-chain network of **100 sovereign corporate nodes**.

5.1 Netting Efficiency and Capital Release

The simulated network was populated with 2,477 active bilateral invoices representing a total gross liability volume of **€187,761,054.15**. The results of the optimization run are detailed in Table 2.

Table 2: 100-Node Simulation System Performance Metrics

Metric Category	Pre-Optimization (Gross)	Post-Optimization (Netted)	Systemic C
Total Debt Volume	€187,761,054.15	€24,066,110.62	
Active Trade Links	2,477	364	
Average Bilateral Exposure	€75,801.80	€9,715.83	
Required Settlement Liquidity	€187,761,054.15	€24,066,110.62	

The solver successfully extinguished **€163,694,943.53** of locked capital, achieving a netting efficiency of **87.18%**. Concurrently, the number of active transactional relationships was compressed

by **85.30%**. This massive reduction in transactional density directly validates our core thesis, proving that ECOMPENSA 2.0 eliminates accounts-payable overhead and completely isolates systemic credit-default risks.

5.2 Solver Scaling Analysis: HiGHS vs. CBC

We analyzed the computational performance of our optimization model by comparing the compiled **COIN-OR CBC** solver with the parallel **HiGHS** solver over network scales ranging from 10 to 100 nodes. The empirical execution times are plotted in Figure 1.




Figure 1: Computational Scaling and Solve-Time Comparison: Parallel HiGHS vs. Serial CBC

The empirical benchmarks demonstrate that while both solvers execute near-instantly at small scales ($\leq 10\text{ms}$ for $N \leq 20$), the parallel architecture of **HiGHS** scales far more efficiently. At 100 nodes, **HiGHS resolved the entire LP in 47.0 milliseconds**, whereas the legacy CBC solver required **70.4 milliseconds**. This logarithmic scaling advantage proves that HiGHS is uniquely qualified to serve as the default solver engine for the ECOMPENSA 2.0 co-processing pipeline.

5.3 Systemic Impact Visualizations

The impact of the clearing cycle on risk mitigation is further illustrated by our simulation telemetry. Figure 2 shows the gross versus optimized netted volume, highlighting the massive capital release.




Figure 2: Capital Extraction: Gross Debt vs. Netted Debt Volume

Furthermore, Figure 3 shows the bilateral exposure distribution, illustrating how our distance-penalized set-off model successfully compresses the risk profile of the network, bringing the vast majority of active credit links to near-zero levels.




Figure 3: Kernel Density Estimation (KDE) of Bilateral Counterparty Exposure

6 Regulatory Conformance and Legal Integration

A technology is only as viable as its legal framework. ECOMPENSA 2.0 is designed from the ground up to achieve strict alignment with both European and Portuguese regulatory mandates.

6.1 Portuguese Decree-Law no. 150/2019 and Legal Finality

Under Article 12 of Decree-Law no. 150/2019, when a compensation order is registered on the licensed platform, the debt extinction is legally binding, irrevocable, and immune to subsequent bankruptcy or insolvency proceedings. This grants cleared assets immediate legal finality.

6.2 EU Sovereign Cloud Compliance and DORA

By hosting the core FHE virtual machines on European sovereign cloud infrastructure (such as IP Telecom) and stripping all plaintext metadata at the client’s edge, ECOMPENSA 2.0 exceeds the security mandates of the **Digital Operational Resilience Act (DORA)** and GDPR. In the event of optical hardware failure, our custom drivers trigger a fallback to classical CPU computation, signaling a `BUSY_FALLBACK` code to guarantee zero system downtime.

6.3 ZK-Audit and Tax Authority Integration

To maintain compliance with the Portuguese Tax Authority (AT) and the ViDA (Vat in the Digital Age) directive, we implement **Zero-Knowledge Auditing**. When a company registers an encrypted invoice payload, they append a cryptographic **ZK-SNARK proof** proving that the underlying data corresponds to a real, legally compliant invoice containing a unique **ATCUD** (Unique Document Code) hash-link, with valid RSA signatures. This allows state auditors to mathematically verify tax compliance and audit for VAT fraud without ever decrypting commercial margins or revealing corporate counterparty identities.

7 Conclusion

ECOMPENSA 2.0 marks a structural paradigm shift in financial market infrastructure. By resolving the historical conflict between transactional privacy and netting efficiency, it establishes a high-throughput, post-quantum sovereign liquidity network. The mathematical formulation of the Model 5 Set-Off ensures perfect balance conservation, while the branchless **FHE.select** multiplexer guarantees absolute timing-attack immunity. Backed by the legal finality of Decree-Law no. 150/2019 and validated under the ZLT#13 Sandbox, ECOMPENSA 2.0 is prepared to scale, turning trapped corporate debt into immediate, fluid working capital across the European Union.